



Egress Exit and Egress from Bedroom

Egress Exit					
Window used as an "Egress Exit"					
Ontario Building Code 2012 Sec.9.9.9.1(2)					
Standard Sizes		Width			
		25.375	28.375	31.375	34.375
Height	28.375				
	32.375				
	35.375				
	38.375				
	41.375				
	44.375				
	47.375				
	50.375				
	53.375				
	56.375				
	59.375				
	62.375				
	65.375				
	68.375				

	Do not meet requirements
	Egress Exit (Egress Hinge required)
	Egress Exit (Standard Hinge)

Egress from Bedroom						
Egress from Bedroom (with Door or "Egress Exit" on same floor)						
Ontario Building Code 2012 Sec.9.9.10.1(1)						
Standard Sizes		Width				
		22.375	25.375	28.375	31.375	34.375
Height	28.375					
	32.375					
	35.375					
	38.375					
	41.375					
	44.375					
	47.375					
	50.375					
	53.375					
	56.375					
	59.375					
	62.375					
	65.375					
	68.375					

	Do not meet requirements
	Egress from Bedroom (Egress Hinge required)
	Egress from Bedroom (Standard Hinge)

"Clear opening" calculation for Casement Window

Egress Hinge

Clear height = Frame height - 4.375" (111mm)

Clear width = Frame width - 6.625" (168mm)

Standard Hinge

Clear height = Frame height - 4.375" (111mm)

Clear width = Frame width - 9.875" (251mm)

"Sash projection" calculation for Casement Window

Projection is from front edge of window (not Brickmould) with a Standard or Egress Hinge.
(Awings and Operating Shape N/A)

Projection = Frame width - 3.625" (92mm)

Notes:

This is a reference document, it is the responsibility of the customer to confirm that all products selected meet all Bylaw and Building Code requirements based on the customers project needs.

All calculations based on Ontario Building Code 2012



Brown Window Corporation 185 Snow Boulevard, Concord, Ontario L4K 4N9

Tel: 905-738-6045 Service: 905-738-3945 Toll Free: 1-877-662-6662 Fax: 905-738-1342

Rev.: 10.15